

# CDN Resource Laboratories Ltd.

#2, 20148 - 102nd Avenue, Langley, B.C., Canada, V1M 4B4, Ph: 604-882-8422 Fax: 604-882-8466  
(www.cdnlabs.com)

## STANDARD REFERENCE MATERIAL: CDN-BL-8

Recommended values:

*Gold concentration:* < 0.01 g/t

*Platinum concentration:* < 0.01 g/t

*Palladium concentration:* < 0.01 g/t

**PREPARED BY:** CDN Resource Laboratories Ltd.  
**CERTIFIED BY:** Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia  
**INDEPENDENT GEOCHEMIST:** Dr. Barry Smee., Ph. D., P. Geo.  
**DATE OF CERTIFICATION:** May 15, 2011

### **ORIGIN OF REFERENCE MATERIAL:**

Standard CDN-BL-8 was prepared using a blank granitic material.

### **METHOD OF PREPARATION:**

The granitic material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 (<53 micron) material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 6 commercial laboratories for round robin assaying. Round robin results are displayed on the next page.

### APPROXIMATE CHEMICAL COMPOSITION (whole rock analysis):

	Percent			Percent
SiO <sub>2</sub>	75.0		Na <sub>2</sub> O	2.7
Al <sub>2</sub> O <sub>3</sub>	10.1		MgO	1.3
Fe <sub>2</sub> O <sub>3</sub>	3.5		K <sub>2</sub> O	1.0
CaO	2.5		TiO <sub>2</sub>	0.4
MnO	0.1		LOI	2.4
C	0.1		S	0.1

Statistical Procedures: There was no statistical analysis performed on the data.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver  
Assayers Canada Ltd., Vancouver  
ALS Chemex Laboratories, North Vancouver  
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada  
International Plasma Labs, Richmond, B.C., Canada  
TSL Laboratories, Saskatoon


**Assay Procedure:** assays were fire assay, AA or ICP finish on 30g samples.  
**Assay results on the following page**

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6
Sample	Au ppm	Au ppm	Au ppm	Au ppm	Au ppm	Au ppm
CDN-BL-8-1	< 0.002	< 0.002	0.001	<0.005	0.001	<1
CDN-BL-8-2	< 0.002	0.006	0.001	<0.005	0.001	<1
CDN-BL-8-3	< 0.002	0.002	0.001	<0.005	0.001	<1
CDN-BL-8-4	< 0.002	0.002	0.001	<0.005	0.001	<1
CDN-BL-8-5	< 0.002	< 0.002	0.002	<0.005	0.001	<1
CDN-BL-8-6	< 0.002	0.003	0.002	<0.005	0.001	<1
CDN-BL-8-7	< 0.002	0.002	0.002	<0.005	0.002	<1
CDN-BL-8-8	< 0.002	< 0.002	0.001	<0.005	0.001	<1
CDN-BL-8-9	< 0.002	< 0.002	0.001	<0.005	0.002	<1
CDN-BL-8-10	< 0.002	< 0.002	0.001	<0.005	0.005	1
	Pt ppm	Pt ppm	Pt ppm	Pt ppm	Pt ppm	Pt ppm
CDN-BL-8-1	< 0.005	< 0.005	<0.005	<0.010	<.001	0.2
CDN-BL-8-2	< 0.005	< 0.005	<0.005	<0.010	<.001	0.3
CDN-BL-8-3	< 0.005	< 0.005	<0.005	<0.010	<.001	0.5
CDN-BL-8-4	< 0.005	< 0.005	<0.005	<0.010	<.001	0.4
CDN-BL-8-5	< 0.005	< 0.005	<0.005	<0.010	<.001	0.4
CDN-BL-8-6	< 0.005	< 0.005	<0.005	<0.010	<.001	0.4
CDN-BL-8-7	< 0.005	< 0.005	<0.005	<0.010	<.001	0.4
CDN-BL-8-8	< 0.005	< 0.005	<0.005	<0.010	<.001	0.4
CDN-BL-8-9	< 0.005	< 0.005	<0.005	<0.010	<.001	0.5
CDN-BL-8-10	< 0.005	< 0.005	<0.005	<0.010	<.001	0.5
	Pd ppm	Pd ppm	Pd ppm	Pd ppm	Pd ppm	Pd ppm
CDN-BL-8-1	< 0.005	< 0.005	<0.001	<0.005	<.001	<0.5
CDN-BL-8-2	< 0.005	< 0.005	<0.001	<0.005	<.001	<0.5
CDN-BL-8-3	< 0.005	< 0.005	0.001	<0.005	<.001	<0.5
CDN-BL-8-4	< 0.005	< 0.005	<0.001	<0.005	<.001	<0.5
CDN-BL-8-5	< 0.005	< 0.005	<0.001	<0.005	<.001	<0.5
CDN-BL-8-6	< 0.005	< 0.005	0.001	<0.005	<.001	<0.5
CDN-BL-8-7	< 0.005	< 0.005	<0.001	<0.005	<.001	<0.5
CDN-BL-8-8	< 0.005	< 0.005	<0.001	<0.005	<.001	0.6
CDN-BL-8-9	< 0.005	< 0.005	<0.001	<0.005	<.001	<0.5
CDN-BL-8-10	< 0.005	< 0.005	<0.001	<0.005	<.001	<0.5


Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by

  
 Duncan Sanderson, Certified Assayer of B.C.

Geochemist

  
 Dr. Barry Smee, Ph.D., P. Geo.